

Product catalogue



www.masunt.com



Discover the product diversity of masunt

With its masunt brand, Resatur GmbH offers you comprehensive key handover solutions for a multitude of different applications. Our product range includes key safes in various designs for easy key handover and storage on the one hand. We also offer innovative, more complex key handover systems with more comprehensive administration and rights management. masunt products feature high-quality stainless steel housings, while innovative software components provide a range of potential control options. Alongside mechanical safe and deposit box products, we offer key handover solutions with an electronic code system.

Electronic codes

Innovative key safes and key safes with an electronic lock and potential on-line code functionality for time-limited access and remote online management. The best thing is, the electronic codes do not require a WLAN or power connection.

RFID

The key safes with MIFARE Classic™-based RFID technology enable efficient and contactless access using coupled RFID media without any need to enter a code. These safes are battery-operated, just like the E Codes.

Compartment safes

The compartment safes are solid electronic key cabinets and are available in two versions (3000 and 4000), as well as offline and online variants. Online operation allows time-limited and remotely managed access. Modular expansion is possible too.



Resatur GmbH provides smart access solutions for various industries (e.g. the real estate sector) under its masunt brand

- Customised hardware and software solutions
- API for third-party system software integration
- Use of services in 'smart processes', e.g. code forwarding or automatic access following customer payment

Contact us to arrange integration in your company's own software systems and for an individual quotation.



4062 Online compartment safe



Product properties

- Solid, resistant stainless steel body (V2A and V4A) with 3 mm wall thickness
- The 6 compartments are protected from dust and moisture by insulation
- Easy remote programming and management using the PWA or online portal
- Access control using a numerical code or an RFID medium
- Access logging
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- Prepared for mounting on load-bearing walls
- Connection using 230 V (power) and LAN (internet)
- **Designed for outdoor use**
- Can be expanded arbitrarily by 6 compartments each using add-on modules

Dimensions and weight

Outer dimensions	520 (W) x 300 (H) x 150 (D) mm
Inner dimensions per compartment	155 (W) x 125 (H) x 80 (D) mm
Weight (approx.)	28 kg

Material and price

Item no.	Material	Price (plus VAT)
FT40622	V2A (AISI 304)	€2,856.30
FT40624	V4A (AISI 316)	€3,306.30

4060 compartment safe expansion module



Product properties

- Extension and expansion of the existing compartment safe with online function (model 4062)
- Solid, resistant stainless steel body (V2A and V4A) with 3 mm wall thickness
- The 6 compartments are protected from dust and moisture by insulation
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- **Designed for outdoor use**
- Prepared for mounting on load-bearing walls

Dimensions and weight

Outer dimensions	520 (W) x 300 (H) x 150 (D) mm
Inner dimensions per compartment	155 (W) x 125 (H) x 80 (D) mm
Weight (approx.)	28 kg

Material and price

Item no.	Material	Price (plus VAT)
FT40602	V2A (AISI 304)	€1,595.80
FT40604	V4A (AISI 316)	€2,045.80

3062 Online compartment safe



Product properties

- Robust stainless steel body (V2A and V4A) with 2 mm wall thickness
- The 6 compartments are protected from dust and moisture by insulation
- Easy remote programming and management using the PWA or online portal
- Access control using a numerical code or an RFID medium
- Access logging
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- Prepared for mounting on load-bearing walls
- Connection using 230 V (power) and LAN (internet)
- **Designed for outdoor use**
- Can be expanded arbitrarily by 6 or 12 compartments each using add-on modules

Dimensions and weight

Outer dimensions	340 (W) x 310 (H) x 100 (D) mm
Inner dimensions per compartment	160 (W) x 50 (H) x 80 (D) mm
Weight (approx.)	10 kg

Material and price

Item no.	Material	Price (plus VAT)
FT30622	V2A (AISI 304)	€2,250.00
FT30624	V4A (AISI 316)	€2,470.00

3122 Online compartment safe



Product properties

- Robust stainless steel body (V2A and V4A) with 2 mm wall thickness
- The 12 compartments are protected from dust and moisture by insulation
- Easy remote programming and management using the PWA or online portal
- Access control using a numerical code or an RFID medium
- Access logging
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- Prepared for mounting on load-bearing walls
- Connection using 230 V (power) and LAN (internet)
- **Designed for outdoor use**
- Can be expanded arbitrarily by 6 or 12 compartments each using add-on modules

Dimensions and weight

Outer dimensions	520 (W) x 310 (H) x 100 (D) mm
Inner dimensions per compartment	160 (W) x 50 (H) x 80 (D) mm
Weight (approx.)	15 kg

Material and price

Item no.	Material	Price (plus VAT)
FT31222	V2A (AISI 304)	€2,999.00
FT31224	V4A (AISI 316)	€3,354.27

3060 compartment safe expansion module



Product properties

- Extension and expansion of an existing compartment safe with online function (models 3062 and 3122)
- Robust stainless steel body (V2A and V4A) with 2 mm wall thickness
- The 6 compartments are protected from dust and moisture by insulation
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- **Designed for outdoor use**
- Prepared for mounting on load-bearing walls

Dimensions and weight

Outer dimensions	340 (W) x 310 (H) x 100 (D) mm
Inner dimensions per compartment	160 (W) x 50 (H) x 80 (D) mm
Weight (approx.)	10 kg

Material and price

Item no.	Material	Price (plus VAT)
FT30602	V2A (AISI 304)	€1,175.63
FT30604	V4A (AISI 316)	€1,375.62

3120 compartment safe expansion module



Product properties

- Extension and expansion of an existing compartment safe with online function (models 3062 and 3122)
- Robust stainless steel body (V2A and V4A) with 2 mm wall thickness
- The 12 compartments are protected from dust and moisture by insulation
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- **Designed for outdoor use**
- Prepared for mounting on load-bearing walls

Dimensions and weight

Outer dimensions	520 (W) x 310 (H) x 100 (D) mm
Inner dimensions per compartment	160 (W) x 50 (H) x 80 (D) mm
Weight (approx.)	15 kg

Material and price

Item no.	Material	Price (plus VAT)
FT31202	V2A (AISI 304)	1,679.83 €
FT31204	V4A (AISI 316)	2,004.83 €

3061 compartment safe



Product properties

- Robust stainless steel body (V2A and V4A) with 2 mm wall thickness
- The 6 compartments are protected from dust and moisture by insulation
- Simple programming and control directly on the device
- Assignment of up to 7 user codes per compartment and master code as master key for changing and deleting user codes
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- Prepared for mounting on load-bearing walls
- Connection via 230 V (power)
- **Designed for outdoor use**
- Can be expanded once by 6 or 12 compartments each using add-on modules

Dimensions and weight

Outer dimensions	340 (W) x 310 (H) x 100 (D) mm
Inner dimensions per compartment	160 (W) x 50 (H) x 80 (D) mm
Weight (approx.)	10 kg

Material and price

Item no.	Material	Price (plus VAT)
FT30612	V2A (AISI 304)	€1,595.80
FT30614	V4A (AISI 316)	€1,795.80

3121 compartment safe



Product properties

- Robust stainless steel body (V2A and V4A) with 2 mm wall thickness
- The 12 compartments are protected from dust and moisture by insulation
- Simple programming and control directly on the device
- Assignment of up to 7 user codes per compartment and master code as master key for changing and deleting user codes
- Illuminated keypad for operation at night
- Individual compartments have an emergency opening function thanks to the electronics compartment
- Prepared for mounting on load-bearing walls
- Connection via 230 V (power)
- **Designed for outdoor use**
- Can be expanded once by 6 or 12 compartments each using add-on modules

Dimensions and weight

Outer dimensions	520 (W) x 310 (H) x 100 (D) mm
Inner dimensions per compartment	160 (W) x 50 (H) x 80 (D) mm
Weight (approx.)	15 kg

Material and price

Item no.	Material	Price (plus VAT)
FT31212	V2A (AISI 304)	€2,436.13
FT31214	V4A (AISI 316)	€2,761.13

Key safe 1120 E Code and 1140 E Code



Product properties

- Robust 2 mm-thick stainless steel (V2A and V4A)
- 2-point lock
- Innovative remote online code assignment using the online portal
- No radio or GSM connection required!
- Code assignment also possible manually on the device
- No power supply required (battery operation)
- **Designed for outdoor use**
- The safe has 3 key hooks

Dimensions and weight

Outer dimensions	138 (W) x 179 (H) x 59 (D) mm
Inner dimensions	130 (W) x 103 (H) x 54 (D) mm top, 118 (W) x 67 (H) x 54 (D) below
Weight (approx.)	1.8 kg

Material and price

Item no.	Material	Price (plus VAT)
KS1120E	V2A (AISI 304)	€251.26
KS1140E	V4A (AISI 316)	€284.87

Key safe 1420 E Code and 1440 E Code



Product properties

- The smart 4-in-1 solution
- Robust 2 mm-thick stainless steel (V2A and V4A)
- 2-point lock
- Innovative remote online code assignment using the online portal
- No radio or GSM connection required!
- Code assignment also possible manually on the device
- No power supply required (battery operation)
- **Designed for outdoor use**
- Every compartment has 3 key hooks (12 hooks in total)

Dimensions and weight

Outer dimensions	266 (W) x 348 (H) x 87 (D) mm
Inner dimensions per compartment	130 (W) x 103 (H) x 54 (D) mm top, 118 (W) x 67 (H) x 54 (D) below
Weight (approx.)	7.0 kg

Material and price

Item no.	Material	Price (plus VAT)
KS1420E	V2A (AISI 304)	€839.50
KS1440E	V4A (AISI 316)	€982.35

2125 E Code and 2145 E Code key safe



Product properties

- Particularly robust 3 mm-thick stainless steel (V2A and V4A)
- 3-point lock and double-walled door for increased security
- Innovative remote online code assignment using the online portal
- No radio or GSM connection required!
- Code assignment also possible manually on the device
- No power supply required (battery operation)
- **Designed for outdoor use**
- The safe has 3 key hooks

Dimensions and weight

Outer dimensions	139 (W) x 200 (H) x 83 (D) mm
Inner dimensions	117 (W) x 162 (H) x 38 (D) mm
Weight (approx.)	4.0 kg

Material and price

Item no.	Material	Price (plus VAT)
KS2120E	V2A (AISI 304)	€293.28
KS2140E	V4A (AISI 316)	€335.29

2125 E Code and 2145 E Code key safe



Product properties

- The safe has 21 key hooks
- Space for larger items such as tablets or DIN A4 documents when the hooks are removed
- Particularly robust 3 mm-thick stainless steel (V2A and V4A)
- 3-point lock and double-walled door for increased security
- Innovative remote online code assignment using the online portal
- No radio or GSM connection required!
- Code assignment also possible manually on the device
- No power supply required (battery operation)
- **Designed for outdoor use**

Dimensions and weight

Outer dimensions	238 (W) x 370 (H) x 112 (D) mm
Inner dimensions	220 (W) x 330 (H) x 60 (D) mm, 90 mm (D) in the lower half
Weight (approx.)	11.6 kg

Material and price

Item no.	Material	Price (plus VAT)
KS2125E	V2A (AISI 304)	€629.41
KS2145E	V4A (AISI 316)	€671.43

1121 RFID and 1141 RFID key safe



Product properties

- Robust 2 mm-thick stainless steel (V2A and V4A)
- 2-point lock
- RFID electronic lock for contactless identification and access
- Registration of up to 50 individual access media (MIFARE Classic™ standard)
- No power supply required (battery operation)
- **Designed for outdoor use**
- The safe has 3 key hooks

Dimensions and weight

Outer dimensions	138 (W) x 179 (H) x 59 (D) mm
Inner dimensions	130 (W) x 103 (H) x 54 (D) mm top, 118 (W) x 67 (H) x 54 (D) below
Weight (approx.)	1.8 kg

Material and price

Item no.	Material	Price (plus VAT)
KS1121R	V2A (AISI 304)	€264.71
KS1141R	V4A (AISI 316)	€298.32

2121 RFID and 2141 RFID key safe



Product properties

- Particularly robust 3 mm-thick stainless steel (V2A and V4A)
- 3-point lock and double-walled door for increased security
- RFID electronic lock for contactless identification and access
- Registration of up to 50 individual access media (MIFARE Classic™ standard)
- No power supply required (battery operation)
- **Designed for outdoor use**
- The safe has 3 key hooks

Dimensions and weight

Outer dimensions	139 (W) x 200 (H) x 83 (D) mm
Inner dimensions	117 (W) x 162 (H) x 38 (D) mm
Weight (approx.)	4.0 kg

Material and price

Item no.	Material	Price (plus VAT)
KS2121E	V2A (AISI 304)	€306.72
KS2141E	V4A (AISI 316)	€348.74

2126 RFID and 2146 RFID key safe



Product properties

- The safe has 21 key hooks
- Space for larger items such as tablets or DIN A4 documents when the hooks are removed
- Particularly robust 3 mm-thick stainless steel (V2A and V4A)
- 3-point lock and double-walled door for increased security
- RFID electronic lock for contactless identification and access
- Registration of up to 50 individual access media (MIFARE Classic™ standard)
- No power supply required (battery operation)
- **Designed for outdoor use**

Dimensions and weight

Outer dimensions	238 (W) x 370 (H) x 112 (D) mm
Inner dimensions	220 (W) x 330 (H) x 60 (D) mm, 90 mm (D) in the lower half
Weight (approx.)	11.6 kg

Material and price

Item no.	Material	Price (plus VAT)
KS2126R	V2A (AISI 304)	€642.86
KS2146R	V4A (AISI 316)	€684.87

Key safe with combination lock 520 M code and 540 M code



Product properties

- Robust 3 mm-thick stainless steel (V2A and V4A)
- High-quality lock design with four-digit combination lock
- Automatic code blurring during every opening and closing operation
- Code identification and emergency opening by means of a service key
- Code can be modified without auxiliary means
- **Designed for use in a protected outdoor location**

Dimensions and weight

Outer dimensions	129 (W) x 74 (H) x 78 (D) mm
Inner dimensions	90 (W) x 55 (H) x 40 (D) mm
Weight (approx.)	1.2 kg

Material and price

Item no.	Material	Price (plus VAT)
KD520M	V2A (AISI 304)	€167.23
KD540M	V4A (AISI 316)	€192.44

Key safe pre-fitted for PHC - M3 20 and M3 40



Product properties

- Robust 3 mm-thick stainless steel (V2A and V4A)
- A profile half cylinder (PHC) measuring 30 / 10 mm long is required (not included in the scope of supply)
- Horizontal or vertical installation possible
- **Designed for outdoor use**


Dimensions and weight

Outer dimensions	129 (W) x 74 (H) x 78 (D) mm
Inner dimensions	90 (W) x 55 (H) x 30 (D) mm
Weight (approx.)	1.2 kg

Material and price

Item no.	Material	Price (plus VAT)
KD320	V2A (AISI 304)	€140.00
KD340	V4A (AISI 316)	€155.00

Key safe profile cylinder M3 25PZ and M3 45PZ



Product properties

- Robust 3 mm-thick stainless steel (V2A and V4A)
- Including profile half cylinder (PHC) with a length of 30/10 mm
- Horizontal or vertical installation possible
- **Designed for outdoor use**


Dimensions and weight

Outer dimensions	129 (W) x 74 (H) x 78 (D) mm
Inner dimensions	90 (W) x 55 (H) x 30 (D) mm
Weight (approx.)	1.2 kg

Material and price

Item no.	Material	Price (plus VAT)
KD325PZ	V2A (AISI 304)	€159.00
KD425PZ	V4A (AISI 316)	€184.00

Key safe 221 and 241, standard – designed for PHC –



Product properties

- Robust 3 mm-thick stainless steel (V2A and V4A)
- A profile half cylinder (PHC) measuring 30 / 10 mm long is required (not included in the scope of supply)
- Horizontal or vertical installation possible
- Two key hooks
- **Designed for outdoor use**

Dimensions and weight

Outer dimensions	80 (W) x 110 (H) x 55 (D) mm
Inner dimensions	74 (W) x 104 (H) x 49 (D) mm
Weight (approx.)	1 kg

Material and price

Item no.	Material	Price (plus VAT)
KD221	V2A (AISI 304)	€109.00
KD241	V4A (AISI 316)	€125.00

Key safe 222 and 242 credit card – designed for PHC –



Product properties

- Robust 3 mm-thick stainless steel (V2A and V4A)
- A profile half cylinder (PHC) measuring 30 / 10 mm long is required (not included in the scope of supply)
- Horizontal or vertical installation possible
- Two key hooks
- **Designed for outdoor use**

Dimensions and weight

Outer dimensions	80 (W) x 110 (H) x 55 (D) mm
Inner dimensions	74 (W) x 104 (H) x 49 (D) mm
Weight (approx.)	1 kg

Material and price

Item no.	Material	Price (plus VAT)
KD222	V2A (AISI 304)	€109.00
KD242	V4A (AISI 316)	€125.00

Key safe 223 and 243, XL – designed for PHC –



Product properties

- Robust 3 mm-thick stainless steel (V2A and V4A)
- A profile half cylinder (PHC) measuring 30 / 10 mm long is required (not included in the scope of supply)
- Horizontal or vertical installation possible
- One key hook for extra long key and space for one A6 document
- **Designed for outdoor use**


Dimensions and weight

Outer dimensions	111 (W) x 203 (H) x 55 (D) mm
Inner dimensions	105 (W) x 197 (H) x 49 (D) mm
Weight (approx.)	1.75 kg

Material and price

Item no.	Material	Price (plus VAT)
KD223	V2A (AISI 304)	€129.00
KD243	V4A (AISI 316)	€145.00

Service safe XL 620 and 640



Product properties

- Robust stainless steel (V2A and V4A)
- A profile half cylinder (PHC) measuring 30 / 10 mm long is required (not included in the scope of supply)
- Installation is simple and safe with a mounting plate that is screwed to the wall.
- Extra space for keys with a length of up to 16 cm
- **Designed for outdoor use**

Dimensions and weight

Outer dimensions	103 (W) x 271 (H) x 66 (D) mm
Weight (approx.)	2 kg

Material and price

Item no.	Material	Price (plus VAT)
KD620	V2A (AISI 304)	€167.23
KD640	V4A (AISI 316)	€199.00

720 and 740 key deposit box for connection to a third-party system



Product properties

- Particularly robust 3 mm-thick stainless steel (V2A and V4A)
- Suitable for integration into various third-party systems (bell systems, lift systems, fire alarm systems, etc.)
- Integration using a floating contact (12 V)
- Emergency opening function available
- Profile half-cylinder (30 / 10 mm) included in delivery
- Status indication (lock open / closed)
- The key deposit box has an insulated inner space
- Opening on the rear panel for cable routing
- Special design makes forced opening from the outside more difficult
- **Designed for outdoor use**

Dimensions and weight

Outer dimensions	160 (W) x 105 (H) x 100 (D) mm
Inner dimensions	85 (W) x 85 (H) x 85 (D) mm
Weight (approx.)	2.85 kg

Material and price

Item no.	Material	Price (plus VAT)
KD720	V2A (AISI 304)	€280.00
KD740	V4A (AISI 316)	€320.00



Resatur GmbH

Klopstockstraße 5
22765 Hamburg

+49 (0) 40 / 716 629 905
info@masunt.com

www.masunt.com
(online shop)

www.resatur.com
(company website)

Managing Directors

Markus Schacht
Stephan Untiedt